FILE NOTATIONS

Enferred in NID File		Checked by Chief	
Entaged On 3 R Sheet	Section 1	Copy NID to Field Office	And the second second second
La Map Pinned	· · · · · · · · · · · · · · · · · · ·	Approval Latter	
Card indexed	Manager and a second a second and a second a	Disapproval Letter	***************************************
TW R For State or Fee Land	***********	And the Control of th	***************************************
COMPLETION DATA	Workans	1 (31.60	
Date Weil Sompletode		Location Inspected	
ow K ww	. TA	Bond released	***************************************
GW 05	PA	State of Fee Land	**********
Driller's Log	LOGS FIL	ED	
Electric Logs (No.))		
<u> </u>	E-1 G	R GR-N M	liana
Lat M	i-L Sonic,	Others Sack	alune Ly

FILE NOTATIONS

and the second s	
I W R for State or Fee Land COMPLETION DATA: Worker	ver (31-60
OW WW TA	Location Inspected Bond released State of Fee Land
Driller's Log Man Of C	FILED -
Electric Logs (No.)	GR. GR-N Micro

OFERATIONS FROM PAN AMERICAN PET. Gertini 2-11-76 - Clinton Oil Co. will be known as Onergy Beserves Group, Inc. Secout Report selft Whi Nated in the NID File Loscation map pinned

CLINZON OH " COM, IN/ ISSUMED

Date Completed, P. & A. or operations suspended

Pin changed on location map

Affidayif and Record of A & P

Water Shut-Off Test

Gas-Oil (Ratio Test
Well Log do A

(SUBMIT IN TRIPLICATE)

Budget Bureau No. 42-R356.1. Approval expires 11-30-49.

salt	Labo	CLAy
------	------	------

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

U. S. A. Stanolind well #9

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	
1	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

	•	80	ptember 25		, 19. 49
Well No.	is located ***	ft. from N line	210' and	ft. from E line o	f sec. 27
(M Sec. and Sec. No.) Ashley Creek	58	221 (Range) Uintah	Uinte Sal	it take iden) Utah	
(Riaid)		(County or Subdivision)		(State or Territor)	7)

The elevation of the derrick floor above sea level is

(To be determined)

DETAILS OF WORK

(State names of and superted depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement-ing points, and all other important proposed work)

Drill well with rotary tools. Set 9-5/8" 32.3# H-40 Casing at 500 ft. Circulate cement using Howeo 2-Plug method. Test easing to 750# PSI for 30 minutes. Set 7" Casing consisting 4200 ft. of 23# J-55 at top of Weber and coment W/350 sax coment using 2-plug method. Fost casing to 1000 psi for 30 minutes. Drill into Weber until commercial, well secured. Pred well through 22" EUE Tubing set approximately on bettem. Acidise and/or short and cleanout as necessary.

(SEE ATTACHED RIDER FOR APPROVAL)

i understand t	hat this plan of work must receive approval in wri	ing by the Geological Survey before operations may be commenced.
Company	Stanolind Oil and Cas	
Address.	gangely, Colorado	By Ofair
		By Title Field Superintendent
****		Title.

JAD:du

Budget Bureau No. 42-R358.1. Approval expires 11-30-49.

salt Labo City

Form 9-331 a (March 1942)

27

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

U. S. A. Stanelind mall

		<u> </u>		
	NOTICE OF INTENTION TO DRILL SUBSEQUENT REPORT OF WATER SHUT-D	FF	1943	
į	NOTICE OF INTENTION TO CHANGE PLANS SUBSEQUENT REPORT OF SHOOTING OR	1 .)	
	NOTICE OF INTENTION TO TEST WATER SHUT-OFF SUBSEQUENT REPORT OF ALTERING CASI	NG.	أنبيبا	Ŋ.
	NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL SUBSEQUENT REPORT OF REDRILLING OF	R REPAIR	1	نسر
1	NOTICE OF INTENTION TO SHOOT OR ACIDIZE SUBSEQUENT REPORT OF ABANDONMENT		1	
	NOTICE OF INTENTION TO PULL OR ALTER CASING SUPPLEMENTARY WELL HISTORY			
	NOTICE OF INTENTION TO ASANDON WELL	,		
	" " Second 4-3/o. Crain		J [

SUNDRY NOTICES AND REPORTS ON WELLSOIL & GAS DIV.

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

		Nov	rember 8,	, 19_ 42
Well No is le	ocated ft.	from [N] line	and 210 ft. from E lin	ne of sec. 27
NE NE NE 27	58	228	Vinta-Salt Lake	
(14 Sec. and Sec. No.)	(Twp)	(Range)	(Meridian)	
Ashley Creek	Uint	ah	Utah	
(i'ield)	(t'ot	inty or Subdivision)	(State or Ter	ritory)
The elevation of the derric	ROB	level is 4922	} ₍₊	

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, coment-ing points, and all other important proposed work)

On Nevember 3, 1949 ran 446 ft. 9-5/8" 36# H-40 Casing and 44 ft. 9-5/8" 32.3# H-40 Casing set at 498 ft. Comented with 165 sacks Ideal Coment, 5 sacks Sementox using Howee 2-plug method. WOC 48 hours before drilling plug. Tested casing W/850# PSI for 30 minutes. Casing held CE.

		y the Geological Survey before operations may be commenced.	
Consumi	Stanolind Oil and Gas Company		-
Addi za	Rangely, Colorado		
	Section of the sectio	By L. Ac	
JÄD: dag	P	Title Pield Superintendent	-

201 bureau No. 42 R355.1. oval expires 11-30-49.

Form 9-330

							X
	ļ		ļ 				
				: 	! !		
		5	30 .	27			
	!						
L	DCA!	E W	ELL.	UO1	₹RE	i	

U. S. LAND OFFICE -Salt Lake City SERIAL NUMBER ... 06579 LEASE OR PERMIT TO PROSPECT

UNITED STATES

DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

LOG OF OIL OR GAS WE

Company Sta	anolind Oil	and G	las Co.		Address _d	Rangely, C	o lorado	,	
Lessor of Tra-	U. S. A.	Stanel	ind		Field _{Ash}	ley Creek	Sta	te ,	ele e e e e e e e e e e e e e e e e e e
Well So. 9	Sec. 27	T. 50	R. aan	Meridia	(I) 974 max = 3m .	Co	metaz		
Location 120	icack of w	Line a	nd man. ft.	E of	_ Line	of		UINVAN Elovat	ion
The micro	nation given h	arewith	is a comp	(190.) dete and	L carrect so	Section Section	n Line roll and d	Derriel	1 door rei 4922 in D.
so far as can be	determined f	rom all	available	records		()			done thereon
					Signed .		tair		
	aber 19, 19					/ Title	held	lupt.	
	ary on this pa			tion of :	the well at	above date.		/	
Commenced dri	illing Nove	moer 1		19 . o	Finished o	lrilling	Non-		19
				47 SAS SA	NDS OR 2	ZONES	уе с ещое	r-9	49
				Dennte o					
No. 1, from 4	268	to	4290	-	No. 4, fre)111	*****	to	
No. 2, from		to .				om m		•	
No. 5, from	•	to	** 4.	-	No. 6, fro	om		to :	
			IMPORT	ANT W	ATER SA				
No. 1, from	918	to	1273		No. 3 fro	om –		to	
No. 2, f m	1273	to .	· -		No. 4, fre	r(1)		to	
	121)		1344 CA	SING	RECORD				
Probability	Thorac oper				1		Porfe	rated	
tan . pring	6832 Fe	Make	Amoan	t j tikan	of stor Cut	and pulled from	From-	To-	t orpose
7-5/8" 36#	8 RT		490 1	r+ 11.)WGO	*************			
7H 23#	8 RT		4283	, ,	MCO			·	1
	•								t

									e de la companya de l
		3550	BING AN	AD CEN	ENT:NG	RECORD			
•	*			V 5. (1,0)	torn na	Storing Charles	4,7	enant of m	en e

Chihle - 3250

Weber - 4268

16 43094 2

Moenkop1 - 3437

Phosphoria - 4125

Dakota - 1273

Morrison - 1344

Entrada - 2298

Curtis

Carmel

- 2210

- 24.81

Budget Bureau No. 42-R358.1. Approval expires 11-30-49.

Form 9-331 a. (March 1942)

(SUBMIT IN TRIPLICATE)

Land Office Sals Lake City Lease No. 065759

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Unit		CPI	nak:	

27

			//	PORT OF WATER SHUT-O	FF
	ITENTION TO CHANGE PLANS	1	SUBSEQUENT REP	ORT OF SHOOTING OR	ACIDIZING
	ITENTION TO TEST WATER SI		SUBSEQUENT REP	ORT OF ALTERING CASI	NG
	TENTION TO RE-DRILL OR R		if		REPAIR
	TENTION TO SHOOT OR ACIE		1		
	TENTION TO PULL OR ALTER TENTION TO ABANDON WELL		ľ		1
	Setting 7" Casin				
		OVE BY CHECK MARK NA			
				December 12	194
ell No	.9 is located	d 90 ft from	N line and	230 ((E	11:
CH 140		a .jagit. nom	inie and	Zast.it. from	ine or sec24.
ME NR 25	7	5e 22	•		
(M. Sec.	and Sec. No.)	(Twp)	Range)	(Meridian)	
Ashley	creek	Uintak		Itak	
Ĭ	(Field)	(County or S	Subdivision	•	or Territory)
ne elevatio	on of the derrick	sanabaya san layal	i- 1000 ft		
ie eievatie	of the deflick	above sea level	18 4922 It.		
		DETAILS	S OF WORK		
ate names of	and expected depths to obje			of proposed assistant to d	
		ing points, and all othe	r important propose	d work)	icate inudding jobs, come
n Decemb	er 4 ran 4282.5	51 - 7" 23# J-		est at 1268:	seconted with
50 .sax 6	ement by House	2 plug method	. WOC 56 He	ure before dr	Illine plus.
ested Ca	sing w/1050 pei.	. for 30 minut	es, casing	held C.	
				•	
	that this plan of work must				

Title Pield Superintendent

UNITED STATES Sec. 27 DEPARTMENT OF THE INTERIOR T. 5 S. GEOLOGICAL SURVEY CONSERVATION DIVISION R. 22 E. INDIVIDUAL WELL RECORD S. L. Mer. PUBLIC LAND: Date October 25, 1950 Ref. No. 33 Land office Sait Lane City State Utah American Fetrole in County Uintah Serial No. 00/159 Lessee Standing Oil and Las Co. Field Ashley Creek Operator Stanolind Oil and Gas Co. District Salt Lake City Well No. 9 NE NE LNE L Subdivision Location 90 ft. from N. line and 210 ft. from E. line of sec. 27 Drilling approved October 20, 19 49 Well elevation 4922 R.B. Drilling commenced November 1 , 19.49 Total depth 4290 PB4265et Drilling ceased December 9 , 19 49 Initial production 55 Bbls, allowable Gravity A. P. I. ______32^o Completed for production Dec. 12 19 49 Abandonment approved _____, 19 ____ Initial R. P. ____ Geologic Formations Productive Horisons Surface Lowest tested Name .Depths Contents lieber. Mancos Shale Weber 4263**-4290**1 4223- 4260 Oil WELL STATUS 2 ser pert) YEAR MAR. MAY JUNE APR JULY Avg. DEC. 1949 Drg POW

REMARKS New - competitive lease issued under sec. 17 of Act of 8-21-35


(OVER)

REPLACEMENT SHEET

U. S. GOVERNMENT PRINTING OFFICE 16-38087-8

GPO 9 18 507

Form 9-331a (Feb. 1951)



(SUBMIT IN TRIPLICATE)

UNITED STATES **DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY**

Land Office	Salt	Lobo	
Lease No.	45739		
Unit . Ach!	ay Cr	isk	

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLA	NS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER	SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OF	R REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR A	CIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALT	TER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WE		·-	
	Squeeze Well X	· · · · · · · · · · · · · · · · · · ·	
(INDICATE	ABOVE BY CHECK MARK NA	TURE OF REPORT, NOTICE, OR OTHER DATA)	
		April 11	, 19.
ell No• is located	d .120 ft. from	$\{ N \}$ line and 216 ft. from $\{ E \}$ line of s	sec. 27
(½ Sec. and Sec. No.)		nge) (Meridian)	
shley Crack (Field)	(County or Su	abdivision) (State or Territory)	
(Field)	(County or Su	abdivision) (State or Territory)	
e elevation of the double f	loor above sea level	is 4922 ft.	
		S OF WORK	
ate names of and expected depths to ol	bjective sands; show sizes, v	weights, and lengths of proposed casings; indicate muddin	ig jobs, ceme
	experation prope	r important proposed work)	Well M
h 50 bbls of lease em	erporation proper ide and 40 galle	page to Equeese USA Pan American has of Hudlax (Dowell H-54). Pro MIPD.	Well Ho
h 30 bbls of lease cr or to squeeze job is !	orporation proper ode and 40 galle 30 BOPP and 631	rimportant proposed work) Dees to Squeese USA Pan American Dees of Madlax (Dowell M-54). Pro MPD.	Well Moderation
th 90 bbls of lease en ler to squeeze jeb is !	properation proper ode and 40 galle 30 BOPB and 631	ting by the Geological Survey before operations may be continued to the Geological Survey before operations and the Geological Survey before o	Well Moderation
A 30 bbls of lease ere or to squeeze job is !	properation proper side and 40 galle solds and 40 galle solds and 631 must receive approval in write traceive approval in write approval i	ting by the Geological Survey before operations may be continued to the Geological Survey before operations and the Geological Survey before o	Well Moderation
I understand that this plan of work mempany Pan American	properation proper side and 40 galle solds and 40 galle solds and 631 must receive approval in write traceive approval in write approval i	ting by the Geological Survey before operations may be continued to the Geological Survey before operations and the Geological Survey before o	Well Moderation
I understand that this plan of work mompany Page American	properation proper side and 40 galle solds and 40 galle solds and 631 must receive approval in write traceive approval in write approval i	ting by the Geological Survey before operations may be continued to the Geological Survey before operations and the Geological Survey before o	Well Heduction

FORM 470 2-57

PAN AMERICAN PETROLEUM CORPORATION

Rangely, Colorado

April 11, 1958

File:

LAK-288-WF

Subject:

Sundry Notices and

Reports on Wells

Oil and Gas Conservation Commission of the State of Utah Room 105, Capitol Building Salt Lake City, Utah

Gentlemen:

Please find attached two copies of the USGS Form 9-331a, Sundry Notices and Reports on Wells, covering our Notice of Intention to Squeeze USA Pan American Well No. 9, Ashley Creek Field with lease crude and Mudlax.


Please return one approved copy to this office for our files.

Yours very truly,

Production Foreman

MEJ:1rs Attachment

King Called me at home Eunday Am 4/13/58 outlining plan as per here in. Save him of Castaupturan.



(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land Office	elt Loke
Lease No	3739
Unit Ash le	/ Creek

	NOTICES AND RE	PORTS ON WELLS
NOTICE OF INTENTION TO DRILL	SUBSEQU	JENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE	PLANSSUBSEQU	ENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WA	TER SHUT-OFF	ENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL	OR REPAIR WELL	ENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT O	R ACIDIZESUBSEQU	ENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR	ALTER CASING SUPPLEM	IENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON	(WELL	
lotice of Intention	to Bydraftes X	
(INDIC	ATE ABOVE BY CHECK MARK NATURE OF RE	PORT, NOTICE, OR OTHER DATA)
	·	April 21 , 19.
'ell No s loca	ted ft. from [N] line	and $\underbrace{\mathbf{E}}_{\mathbf{E}}$ line of sec. $\mathbf{E}_{\mathbf{E}}$
(½ Sec. and Sec. No.)	(Twp.) (Range)	(Meridian)
Aphley Creek	Viotah	Utah
(Field)	(County or Subdivision)	(State or Territory)
	DETAILS OF W	ORK
tate names of and expected depths	to objective sands; show sizes, weights, and ing points, and all other important	d lengths of proposed casings; indicate mudding jobs, ceme t proposed work)
Pan American Petrolu Mall 09 with 10,000	ing points, and all other important um Corporation proposes libe. of sand and 10,000 ling and set near easing	to Hydrafroc ISA Pen American
Pan American Petrolo Well 79 with 10,000 be run on 2-1/2" Tub Masing point of 4260	ing points, and all other important um Corporation proposes libe. of sand and 10,000 ling and set near easing	to Rydrafree USA Fon American gale. of fuel eil. Facker will shoe to squeeze open hole from
Pen American Petrola fell #9 with 10,000 be run on 2-1/2" Tub mading point of 4260	ing points, and all other important um Corporation proposes the, of sand and 10,000 ing and set near easing to TD 4290.	to Hydrafroc USA Fon American gale. of fuel eil. Fecker will shoe to squeeze open hole from
Pen American Petrola Well 09 with 10,000 be run on 2-1/2" Tub masing point of 4260	ing points, and all other important um Corporation proposes the, of sand and 10,000 ing and set near easing to TD 4290.	to Hydrafroc USA Fon American gale. of fuel eil. Fecker will shoe to squeeze open hole from
Pen American Petrola (ell 09 with 10,000) be run on 2-1/2" Tub (acing point of 4266 Production before Hy	ing points, and all other important um Corporation proposes libe. of sand and 10,000 ing and set near easing to TD 4390. Fraction, 70 2070 and 170	to Hydrafroc ISA Pen American gale. of fuel eil. Pecker will shoe to squeeze open hole from
Fan Associate Petroles 1012 79 with 10,000 be run on 2-1/2" Tub 10018g point of 4266 Production before Hy	ing points, and all other important um Corporation proposes libe. of sand and 10,000 ing and set near easing to TD 4390. Fraction, 70 2070 and 170	to Hydrafree USA Fem American gale. of fuel oil. Facher will shoe to squeeze open hole from U MIFD.
Fan American Petrolo Well 79 with 10,000 be run on 2-1/2" Tub mading point of 4266 Production before Hy	ing points, and all other important um Corporation proposes libe. of sand and 10,000 ing and set mear casing to TD 4390. Fraction, 70 NOPD and 170 ck must receive approval in writing by the um Petroleum Corporation	to Hydrafrec USA Fem American gale. of fuel oil. Fecher will shee to squeeze open hole from Salfo. Geological Survey before operations may be commenced.
Ten American Petrola 1011 79 with 10,000 be run on 2-1/2" Tub- tacing point of 4266 Production before Hy- I understand that this plan of wor- company Fan American	ing points, and all other important um Corporation proposes libe. of sand and 10,000 ing and set mear casing to TD 4390. Fraction, 70 NOPD and 170 ck must receive approval in writing by the um Petroleum Corporation	to Hydraftee SEA Fee American gale. of fuel oil. Feeker will shee to squeeze open hole from SEA.
Ten American Petrola 1011 79 with 10,000 to run on 2-1/2" Tub tending point of 4268 Production before Hy-	ing points, and all other important um Corporation proposes libe. of sand and 10,000 ing and set mear casing to TD 4390. Fraction, 70 NOPD and 170 ck must receive approval in writing by the um Petroleum Corporation	to Hydrafrac USA Pan American gale. of fuel eil. Fecher will shoe to squeeze open hole from O MIPD.

Form 9-331 a (Feb. 1951)

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

AND DESCRIPTION OF THE PERSON NAMED IN	AND DESCRIPTION OF THE PERSON NAMED IN
CORRECTED	REPOR

3

Budget Bureau No. 42-R358.4. Approval expires 12-31-60.

Land Office Salt Lake

Lease No. 065759


Unit Ashley Creek

SUNDRY NOTICES AND REPORTS ON WELLS

IOTION OF INTENTION TO THE	1 1		<u> </u>
NOTICE OF INTENTION TO DRILL		REPORT OF WATER SHUT-OFF	į
NOTICE OF INTENTION TO CHANGE PLAN		REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER S	· · · · · · · · · · · · · · · · · · ·	REPORT OF ALTERING CASING	
OTICE OF INTENTION TO RE-DRILL OR		REPORT OF RE-DRILLING OR REPAIR	
IOTICE OF INTENTION TO SHOOT OR AC		REPORT OF ABANDONMENT	
OTICE OF INTENTION TO PULL OR ALTE		ARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			
		- NOVICE OR OTHER DATE:	
(INDICATE A	ABOVE BY CHECK MARK NATURE OF REPORT	I, NOTICE, OR OTHER DATA)	
		April 21	
ell No is located	ft. from $\begin{bmatrix} N \\ S \end{bmatrix}$ line and	1 210 ft. from $\frac{E}{ W }$ line of	sec. 27
WE ME 27	36 22g	Salt Lake	
(1/4 Sec. and Sec. No.)	(Twp.) (Range)	(Meridian)	
hloy Crock	Vintah	Utah	
n American Petrolowa C	DETAILS OF WOR jective sands; show sizes, weights, and len- ing points, and all other important pro- terporation proposes to i	gths of proposed casings; indicate muddi- posed work) Nydrofrac USA Pan Ameri	Gara
a American Petroleum C 11 #9 with 10,000 lbs. run on 2-1/2" Tubing sing point of 4268 to	jective sands; show sizes, weights, and len- ing points, and all other important pro- terporation proposes to l of sand and 19,000 gale and set mear casing sho	gths of proposed casings; indicate muddi- posed work) Nydrafrac USA Pan America. of fuel oil. Packer	can vill
a American Petroleum C 11 #9 with 10,000 lbs. run on 2-1/2" Tubing sing point of 4266 to evicusly reported as:	jective sands; show sizes, weights, and len- ing points, and all other important pro- terporation proposes to l of sand and 19,000 gale and set mear casing sho	gths of proposed casings; indicate muddisposed work) Bydrafrac USA Pam America. of fuel oil. Packer to squeeze open hole	cam vill from
a American Petroleum C 11 #9 with 10,000 lbs. run on 2-1/2" Tubing sing point of 4266 to evicusly reported as:	jective sands; show sizes, weights, and len- ing points, and all other important pro- perporation proposes to i of sand and 19,000 gale and set mear casing show TO 4290.	gths of proposed casings; indicate muddisposed work) Bydrafrac USA Pam America. of fuel oil. Packer to squeeze open hole	cam vill from
a American Petroleum C 11 /9 with 10,000 lbs. run on 2-1/2" Tubing sing point of 4268 to evicusly reported as: odsetion before Hydrafi ould be:	jective sands; show sizes, weights, and len- ing points, and all other important pro- perporation proposes to i of sand and 19,000 gale and set mear casing show TO 4290.	gths of proposed casings; indicate muddisposed work) Bydrafrae USA Pan America, of fuel oil. Packer to squeeze open hole The control of th	can vill
a American Petroleum C 11 #9 with 10,000 lbs. run on 2-1/2" Tubing sing point of 4268 to evicusly reported as: eduction before Hydrafi ould be:	jective sands; show sizes, weights, and len- ing points, and all other important pro- desponsation proposes to it of sand and 19,000 gale and set mear casing show TD 4290. Teac, 70 BOPD and 1700 M	gths of proposed casings; indicate muddisposed work) Bydrafrae USA Fam America, of fuel oil. Pecker to squeeze open hole in the squeeze open hol	vill from Hau
a American Petroleum () 11 #9 with 10,000 lbe. run on 2-1/2" Tubing sing point of 4268 to evicusly reported as: odsetion before Hydrafi ould be: understand that this plan of work mu	jective sands; show sizes, weights, and len- ing points, and all other important pro- terporation proposes to it of sand and 19,000 gais and set mear casing show TD 4290. Trac, 70 BOPD and 1700 M	gths of proposed casings; indicate muddice posed work) Bydrafrae ISA Fam America, of fuel oil. Packer to squeeze open hole in the squeeze open h	will from Hau y 12 commenced.
a American Petroleum () 11 #9 with 10,000 lbe. run on 2-1/2" Tubing sing point of 4268 to evicusly reported as: odsetion before Hydrafi ould be: understand that this plan of work mu	rective sands; show sizes, weights, and len- ing points, and all other important pro- torporation proposes to it of each and 19,000 gale and set near casing shoot TO 4290. Tac., 70 NOPD and 1700 M Tac., 30 NOPD and 631 MM ast receive approval in writing by the Geol Petroleum Corporation	gths of proposed casings; indicate muddice posed work) Bydrafrae ISA Fam America. of fuel oil. Packer to squeeze open hole in the squeeze open h	will from Have y 12 commenced.
n American Petroleum () 11 /9 with 10,000 lbs. run on 2-1/2" Tubing sing point of 4268 to evicusly reported as: production before Hydrafi build be; understand that this plan of work mu mpany Pan American ()	rective sands; show sizes, weights, and len- ing points, and all other important pro- torporation proposes to it of each and 19,000 gale and set near casing shoot TO 4290. Tac., 70 NOPD and 1700 M Tac., 30 NOPD and 631 MM ast receive approval in writing by the Geol Petroleum Corporation	gths of proposed casings; indicate muddice posed work) Bydrafrae ISA Fam America, of fuel oil. Packer to squeeze open hole in the squeeze open h	will from Have y 12 commenced.

GPO 9 18 507

Form 9-331 a (Feb. 1951)



(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land Office	Salt	Lake
Lease No	065759	<u> </u>
UnitÅ#\$	day C	reek

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WA		SUBSEQUENT REPORT OF ALTERING CASING	Ì
NOTICE OF INTENTION TO RE-DRILI NOTICE OF INTENTION TO SHOOT O		SUBSEQUENT REPORT OF ABANDONMENT	Į.
NOTICE OF INTENTION TO PULL OR		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON	N WELL	Subsequent Report of Squeeze	
(INDIC	ATE ABOVE BY CHECK MARK	NATURE OF REPORT, NOTICE, OR OTHER DATA)	
		April 22.	, 19.
ell No. is loca	ated 139 ft. from	$\left\{ \begin{array}{l} N \\ \end{array} \right\}$ line and _210ft. from $\left\{ \begin{array}{l} E \\ \end{array} \right\}$ line of	sec27_
XE XE X7 (½ Sec. and Sec. No.)	(Twp.)	(Range) (Meridian)	
Ashley Creek	Vintah		
(Field)	(County o	or Subdivision) (State or Territory)	
See American Settlem.		ther important proposed work)	
4-14-58 with 30 bbl Production prior to	equeers some to a	squeened USA-Fen American Well He and 40 gallons of Median (Dowell 30 BOFD and 631 MFPD. Production	H-34). B after
4-14-39 with 30 bbis Production prior to equocoo unchanged. I understand that this plan of wor	equace job was Pressure during rk must receive approval in the control of the co	equeened URA-Fem American Well No and 40 gallons of Median (Dowell 30 2070 and 631 Mero. Production sequeene was 1700 pei.	Marie
4-14-38 with 50 bbi; Production prior to equocoo unchanged. I understand that this plan of wor	equace job was Pressure during rk must receive approval in the control of the co	equeened URA-Fem American Well No and 40 gallons of Median (Dowell 30 2070 and 631 Mero. Production sequeene was 1700 pei.	Marian Noved N. 28 Marian Commenced.

FORM 476 2.57

PAN AMERICAN PETROLEUM CORPORATION

Rangely, Colorado

April 23, 1958

File:

LAK-308-WF

Subject: Sundry Notices and

Reports on Wells

Si/e

Oil and Gas Conservation Commission of the State of Utah Room 105, Capitol Building Salt Lake City, Utah

Gentlemen:

Please find attached three copies of the USGS Form 9-331a, Sundry Notices and Reports on Wells, covering our Notice of Intention to Hydrafrac USA Pan American Well No. 9, Ashley Creek Field.

Please return two approved copies to this office for our files.

Yours very truly

Production Foreman

GMB:1rs Attachment FORM 470 2-57

PAN AMERICAN PETROLEUM CORPORATION

Rangely, Colorado

April 23, 1958

File:

LAK-306-WF

Subject:

Sundry Notices and

Reports on Wells

71/18

x,/e

Oil and Gas Conservation Commission of the State of Utah Room 105, Capitol Building Salt Lake City, Utah

Gent

Dear Sir:

Please find attached three copies of USGS Form 9-331a, Sundry Notices and Reports on Wells, covering our Subsequent Report of Squeeze for USA-Pan American Well #9, Ashley Creek Field.

Please return two approved copies to this office for our records.


Yours very trul

L. A. King

Production Foreman

GMB:1rs Enc.

GPO 9 18 507



(SUBMIT IN TRIPLICATE)

UNITED STATES **DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY**

Land Office Salt Lake
Lease No. 065759
Unit Achley Creek

SUNDRY	NOTICES A	AND REP	PORTS ON W	ELLS
NOTICE OF INTENTION TO DRILL		SUBSEQUEN	T REPORT OF WATER SHUT-	OFF
NOTICE OF INTENTION TO CHANGE F	PLANS	SUBSEQUEN	T REPORT OF SHOOTING OR	ACIDIZING
NOTICE OF INTENTION TO TEST WAT	TER SHUT-OFF	SUBSEQUEN	T REPORT OF ALTERING CAS	ing
NOTICE OF INTENTION TO RE-DRILL	OR REPAIR WELL	SUBSEQUEN	T REPORT OF RE-DRILLING	OR REPAIR
NOTICE OF INTENTION TO SHOOT OF		1 1	T REPORT OF ABANDONMEN	Т
NOTICE OF INTENTION TO PULL OR	ALTER CASING	1 11	TARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON	WELL	2490044	ent Report of H	retrac X
(INDICA	ATE ABOVE BY CHECK MAR	K NATURE OF REPOR	RT, NOTICE, OR OTHER DATA)	
			Yey 6	, 19 .5
ell No s loca	ted	$m_{-} \begin{Bmatrix} N \\ s \end{Bmatrix}$ line an	d . 210 ft. from	$\left\{\begin{array}{l} E \\ V \end{array}\right\}$ line of sec27
(½ Sec. and Sec. No.)		(Range)	Selt lake (Meridian)	· ,
hley Creek	Uin	or Subdivision)		it ah
(Field)	(County	or Subdivision)	(State	or Territory)
he elevation of the	floor above sea l	evel is 4922	. ft.	
,		ILS OF WO		
ate names of and expected depths to	o objective sands; show s	izes, weights, and le	ngths of proposed casings; i	ndicate mudding jobs, cemen
	ing points, and all	other important pr	oposed work)	
in American Petroleum intervals of 4256'- -40 Ottawn Flint San uid. Brankdown pros n. 3460 psi. Final ctal pump time 68 Min reduction before Hydra reduction after Hydra	4290' with 11, d. 26 Mbls. 6 sure was 3650 pressure 1900 . Packer was afrac was 30 M	214 Gal. of 5 Burner Pu psi. Treat static psi. run on 2 7/ OPD and 631	#5 Burner Puel el was used as o ing pressure Mas Avg. pump rate 8" Ob tubing and	and 10,000# Hisplacement L. 3650 psi, L. 4.3 HPM.
I understand that this plan of world		•	ological Survey before opera	tions may be commenced.
ompany Fan America	n Petroleum Co	rporation		
ddress Rangely. Co	lorado			, -
			By Laxu	ng
			-	(/
			1 1	•

PAN AMERICAN PETROLEUM CORPORATION

Rangely, Colorado

May 7, 1958

File:

LAK-334-WF

Subject: Sundry Notices and

Reports on Wells

Oil and Gas Conservation Commission of the State of Utah Room 105, Capitol Building Salt Lake City, Utah

Gentlemen:

Please find attached three copies of the corrected USGS Form 9-331a, Sundry Notices and Reports on Wells, covering our Notice of Intention to Hydrafrac USA Pan American Well No. 9, Ashley Creek Field.

Please return two approved copies to this office for our files.

Yours very truly,

1rs Attachments

PAN AMERICAN PETROLEUM CORPORATION

Rangely, Colorado

May 7, 1958

File:

LAK-332-WF

Subject: Sundry Notices and

Reports on Wells

Oil and Gas Conservation Commission of the State of Utah Room 105, Capitol Building Salt Lake City, Utah

Gentlemen:

Please find attached three copies of the USGS Form 9-331a, Sundry Notices and Reports on Wells, covering our Subsequent Report of Hydrafrac of our USA Pan American Well No. 9, Ashley Creek Field.

Please return two approved copies to this office for our records.

Yours very truly,

Production Foreman

Attachments

Form 9-331 a (Feb. 1951)

	 _


(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR

Land Office Selt Com
Lease No. 065759
Unit Ashley Creek

SUNDKI	NOTICES A	ND REPOR	TS ON WELLS	
OF INTENTION TO DRILL		SUBSEQUENT REPO	RT OF WATER SHUT-OFF	
OF INTENTION TO CHANGE PLA	ANS	1	RT OF SHOOTING OR ACIDIZING	
OF INTENTION TO TEST WATER	R SHUT-OFF	SUBSEQUENT REPO	RT OF ALTERING CASING	
OF INTENTION TO RE-DRILL O	R REPAIR WELL	SUBSEQUENT REPOR	RT OF RE-DRILLING OR REPAIR	
OF INTENTION TO SHOOT OR		[]	RT OF ABANDONMENT	
OF INTENTION TO PULL OR AL OF INTENTION TO ABANDON W		SUPPLEMENTARY W	ELL HISTORY	
(INDICATE	E ABOVE BY CHECK MARK	NATURE OF REPORT, NOTI	CE, OR OTHER DATA)	
	,	*****	91	
		***************************************	7	,
a is locate	d as ft from	[N] line and	10. ft. from $\frac{E}{E}$ line of	***
18 locate	d	inie and	inie of	sec
	58	22	68h Meridian)	
Sec. and Sec. No.)	(Twp.) (i	Range)	Meridian)	
(Field)		Subdivision)	(State or Territory)	
(.) 1 (loor above sea leve	el is .4922 ft.		
vation of the derrick f		S OF WORK		
vation of the derrick f	DETAIL	OUL MOUV		
	bjective sands; show sizes	, weights, and lengths of	proposed casings; indicate muddi	ng jobs,
	bjective sands; show sizes		proposed casings; indicate muddi work)	ng jobs,
	bjective sands; show sizes	, weights, and lengths of	nt. retainer at 426	5 RD1
	bjective sands; show sizes	, weights, and lengths of	proposed casings; indicate muddi vork) nt. retainer at 426 nto formation. Inj	5 RD1
	bjective sands; show sizes	, weights, and lengths of	nt. retainer at 426	5 RD1
	bjective sands; show sizes	, weights, and lengths of	nt. retainer at 426	5 RD1
	bjective sands; show sizes	, weights, and lengths of	nt. retainer at 426	5 RD1
PRO 4265. Kills PRO 4265. Kills Lit Water from The R 2860 pei. Mins 22 on into form. Porf 4223-4240 1900 gal ced x 157	bjective sands; show sizes ing points, and all ot seed well X Salts. pap 25 bble at 100 ex cmt. Final see process 2 3897. Real load fluid	Weights, and lengths of the important proposed victor. Res C fresh water is 4500 pci. E labor PRA 4188 rate 4.6 NPR	nt. retainer at 426 nto formation. Inj nto firm man proce present out 25 am a " m spot 20 bbls so at 2000 pei. bisp 10 min. Sip 10006,	5 RD9 . Ya4 3406 mt. d in . x
PRO 4263. Kills It Water from The 12 ax into form. Parf 4223-4240 1000 gal acd x 151 1 freely water. To	bjective sands; show sizes ing points, and all ot side wall X Salt peop 25 bbls at 100 ex cmt 1 Final se proce 2 JUFF. Rea I Rel. Avg in peop 12 JUFF. Rea I Rel. Avg in peop 12 JUFF.	Weights, and lengths of the important proposed victor. Res C fresh water is 4000 pci. Res 1000 pci. Res 178 4188 puto 4.6 nmm 178 bbls. in 1880 pcical according to the control of the con	nt. retainer at 426 nto Sevention. Inj nto Size man proce present out 25 ax a 'x apot 20 bbls ac at 2000 pci. Bisp. 10 min. Sip 1900f, x raised 150' Porf	5 RD9 . Ya4 3406 mt. d in . x
PRO 4265. Kills PRO 4265. Kills Lit Water from The R 2860 pei. Mins 22 on into form. Porf 4223-4240 1900 gal ced x 157	bjective sands; show sizes ing points, and all ot side wall X Salt peop 25 bbls at 100 ex cmt 1 Final se proce 2 JUFF. Rea I Rel. Avg in peop 12 JUFF. Rea I Rel. Avg in peop 12 JUFF.	Weights, and lengths of the important proposed victor. Res C fresh water is 4000 pci. Res 1000 pci. Res 178 4188 puto 4.6 nmm 178 bbls. in 1880 pcical according to the control of the con	nt. retainer at 426 nto Sevention. Inj nto Size man proce present out 25 ax a 'x apot 20 bbls ac at 2000 pci. Bisp. 10 min. Sip 1900f, x raised 150' Porf	5 KD1 . Yal 3400 mt. d 1s . x
PRO 4263. Kills It Water from The 12 ax into form. Parf 4223-4240 1000 gal acd x 151 1 freely water. To	bjective sands; show sizes ing points, and all ot side wall X Salt peop 25 bbls at 100 ex cmt 1 Final se proce 2 JUFF. Rea I Rel. Avg in peop 12 JUFF. Rea I Rel. Avg in peop 12 JUFF.	Weights, and lengths of the important proposed victor. Res C fresh water is 4000 pci. Res 1000 pci. Res 178 4188 puto 4.6 nmm 178 bbls. in 1880 pcical according to the control of the con	nt. retainer at 426 nto Sevention. Inj nto Size man proce present out 25 ax a 'x apot 20 bbls ac at 2000 pci. Bisp. 10 min. Sip 1900f, x raised 150' Porf	5 KD1 . Yal 3400 mt. d 1s . x
PRO 4263. Kills It Water from The 12 ax into form. Parf 4223-4240 1000 gal acd x 151 1 freely water. To	bjective sands; show sizes ing points, and all ot side wall X Salt peop 25 bbls at 100 ex cmt 1 Final se proce 2 JUFF. Rea I Rel. Avg in peop 12 JUFF. Rea I Rel. Avg in peop 12 JUFF.	Weights, and lengths of the important proposed victor. Res C fresh water is 4000 pci. Res 1000 pci. Res 178 4188 puto 4.6 nmm 178 bbls. in 1880 pcical according to the control of the con	nt. retainer at 426 nto Sevention. Inj nto Size man proce present out 25 ax a 'x apot 20 bbls ac at 2000 pci. Bisp. 10 min. Sip 1900f, x raised 150' Porf	5 KD1 . Yal 3400 mt. d 1s . x

I understand	that this plan of work must receive approval in writing	by the Geological Su	rvey before operations may be commenced.
Company	PAN APERICAN PRINCIPLE CORPO	BATTON	
Address	P. O. Non 1031		· · · · · · · · · · · · · · · · · · ·
	Kinhall	Ву	Tidad Signed By:
***************************************	Hebraska	Title	res Seperintendent



(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR **GEOLOGICAL SURVEY**

Land	Office		Lake	City
Lease	No.	(40)	5759	
Unit .	M	hley	. Ore	

Area Superintendent

SUNDRY NOTICES .	AND REPORTS ON WELLS
NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS.	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	· · · · · · · · · · · · · · · · · · ·
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.	- · · · · · · · · · · · · · · · · · · ·
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	
NOTICE OF INTENTION TO PULL OR ALTER CASING	
NOTICE OF INTENTION TO ABANDON WELL	
Metics of Intention to Recomplete	***************************************
(INDICATE ABOVE BY CHECK MAI	RK NATURE OF REPORT, NOTICE, OR OTHER DATA)
	January 21 , 19.60
	om. ${N \atop E}$ line and
(½ Sec. and Sec. No.) (Twp.)	(Range) (Meridian)
Ashlaw Crack Bintsh	y or Subdivision) (State or Territory)
(Field) (Count	y or Subdivision) (State or Territory)
The elevation of the density floor above sea l	level is4922. ft. AILS OF WORK
(State names of and expected depths to objective sands; show	sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement-
ing points, and al	l other important proposed work)
5. Run tubing and Baker "Full 4252' TO 4263' with 2 jets mixed with HOWCO ALC-5 & 1	die coment.
I understand that this plan of work must receive approval Company Pan American Petroleum C	in writing by the Geological Survey before operations may be commenced.
Address 1931	_
Kimbell, Nebroska	By Lander

CO ERNMENT PRINTING OFFICE: 1958 O -463339



CLINTON OIL COMPANY

217 NORTH WATER / WICHITA, KANSAS 67202 / 316 - 62-823

June 26, 1970

Utah Oil & Gas Conservation Com. 1588 West North Temple Salt Lake City, Utah 84116

Re: Notice of Change of

Operator

Gentlemen:

Listed below are leases that will be operated by Clinton Oil Company effective July 1, 1970. These were previously owned by Pan American Petroleum Corp.

Lease Name	Location	County
USA Pan American Wells no. 1 thru 10	Ashley Creek Field	Uintah
Walker Hollow Field Unit Wells no. 1 thru 5	Walker Hollow Field	Unitah

If further information is needed, please advise.

Very truly yours,

C. W. Vorachek Production Dept.

DESIGNATION OF OPERATOR

The undersigned is, on the records of the Bureau of Land Management, holder of lease

District Land Office: Salt Lake City, Utah

SERIAL No.: U-02651-A

and hereby designates

NAME:

Clinton Oil Company

ADDRESS:

217 North Water Street, Wichita, Kansas

as his operator and local agent, with full authority to act in his behalf in complying with the terms of the lease and regulations applicable thereto and on whom the supervisor or his representative may serve written or oral instructions in securing compliance with the Operating Regulations with respect to (describe acreage to which this designation is applicable):

T-7-S, R-23-E, Uintah County, Utah

Section 9: E/2, E/2 W/2, SW/4 SW/4

Section 10: W/2, NW/4 NE/4

It is understood that this designation of operator does not relieve the lessee of responsibility for compliance with the terms of the lease and the Operating Regulations. It is also understood that this designation of operator does not constitute an assignment of any interest in the lease.

In case of default on the part of the designated operator, the lessee will make full and prompt compliance with all regulations, lease terms, or orders of the Secretary of the Interior or his representative.

The lessee agrees promptly to notify the supervisor of any change in the designated operator.

PAN AMERICAN PETROLEUM CORPORATION

Attorney-In-Fact

Security Life Building, Denver, Colorado

Energy Reserves Group, Inc. P.O. Box 1201, Zip 67201 217 North Water Street Wichita, Kansas Phone 316 265 7721



February 12, 1975

State of Utah Division of Oil & Gas Conservation 1588 West North Temple Salt Lake City, Utah 84116

Gentlemen:

Effective February 11, 1976, Clinton Oil Company will be known as Energy Reserves Group, Inc. Please change your records accordingly.

If you have any questions or if there are any requirements to fulfill with the state of Utah concerning the attached Oil and Gas Gonservation Taxes, please advise.

Very truly yours,

E. M. Tatum

Utah Revenue Accountant

Attachments

RECEIVED

OCT 2 4 1985

JIVISION OF OIL GAS & MINING

September 17, 1985



Division of Oil, Gas, and Mining 3 Triad Center, Suite 350 Salt Lake City, UT 84180-1203 fan American #9 55. 22E. 27

Re: Corporate name change, ENERGY RESERVES GROUP, INC.

Gentlemen:

By authority of the enclosed copies and affidavit, please change your records to reflect the change of the name of ENERGY RESERVES GROUP, INC. to BHP Petroleum (Americas) Inc. for all former ERG operations in Utah.

Affected leases and numbers are as follows:

USA Pan American Federal Lease #81-06579 (Utah entity #00220) USA Pearl Broadhurst Federal Lease #U-02651-A (Utah entity #00225)

Roosevelt Unit - Wasatch Federal Lease #I-109-IND-5248 and I-109-IND-5242 (Utah entity #00221)

If further information is needed, please contact me at the letterhead address or telephone number.

Thank you for your assistance.

BHP Petroleum (Americas) Inc.

Dale Belden District Clerk

Rocky Mountain District

DB/mz -

Enclosure

USA Pan Am # 9 Sec 27, T5 So Rade & Whubly 4/26/89

N_

Dumpfack pad

well head whence

STATE OF UTAH DIVISION OF OIL, GAS AND MINING

		S. LEASE DESIGNATION & SERIAL NO.
		SL-065759
SUNDRY NOTICES AND REPORTS (Do not use this form for proposals to drill or to deepen or the use "APPLICATION FOR PERMIT—"	ECENVEI	6. IF INDIAN, ALLOTTEE OR TRISE NAME
OIL GAS WELL OTHER	FFR 0.2 1990	1. UNIT AGREEMENT NAME
BHP PETROLEUM (AMERICAS) INC.	DIVISION OF	4. FARM OR LEASE NAME U.S.A. Pan American
1560 Broadway, Suite 1900, Denver, CO 8. LOCATION OF WELL (Report location clearly and in accordance with any State requ	OU GAS & MINING	9. WELL NO.
See also space 17 below.) At surface At proposed prod. zone 90' FNL & 210' FEL (NE/NE)	uements.	Ashley Creek Field
		Sec. 27, T5S-R22E
4922' DF	, RT, GR, etc.)	Uintah Utah
Check Appropriate Box To Indicate Notice of Intention To:		
	SUBS	EQUENT REPORT OF:
FRACTURE TREAT MULTIPLE COMPLETE	WATER SHUT-OFF	REPAIRING WELL
SHOOT OR ACIDIZE ABANDON	FRACTURE TREATMENT	ALTERING CASING
REPAIR WELL CHANGE PLANS	shooting or acidizing (Other) Shut-in	
(Other)	(Note: Report resul	its of multiple completion on Well completion Report and Log form.)
APPROX. DATE WORK WILL START	DATE OF COMPLETION	
 DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly sta- starting any proposed work. If well is directionally drilled, give subsurfa- pertinent to this work.) 	ce locations and measured and	true vertical depths for all markers and zones
	Start be accou	mpanied by a cement verification report
The subject well is shut-in because oil price. To plug the well at this time vable. For these reasons, BHP is request shut-in.	101110 100TTO NOTON+	iol fastassa
		JRB GLH DTS SLS
		haras
		MICROFILM /
SIGNED Daniel H. Sallee TITLE Eng	ineer, Northern R	
(This space for Federal or State office use)		
APPROVED BY TITLE CONDITIONS OF APPROVAL, IF ANY:		DATE
		· · · · · · · · · · · · · · · · · · ·

STATE OF UTAH DIVISION OF GAS AND MINING

		<i></i>
	_	6. Lease Designation and Serial Number: SL 065759
SUNDRY NOTICES AND REPORT	TS ON WELLS	6. If Indian, Allottee or Tribe New at
Do not use this form for proposals to drill new wells, deepen existing wells, or to Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN for	o reenter plugged and abandoned wells,	7. Unit Agreement Name:
Type of Well: OIL X GAS TOTHER:		8. Well Name and Number: NO. 9 U.S.A. PAN AMERICAN
R. Name of Operator: BHP PETROLEUM (AMERICAS) INC.		9. API Well Number: 43-047-15690
Address and Telephone Number: P.O. BOX 977 FARMINGTON, NM 87499	(505) 327-1639	10. Field and Pool, or Wildcat: ASHLEY CREEK
Footages: Bith. 90' FNL & 210' FEL OQ. Sec.,T.,R,M.: NE/NE SEC. 27, T5S, R22E		County: UINTAH State: UTAH
CHECK APPROPRIATE BOXES TO INDICAT	TE NATURE OF NOTICE, REF	ORT, OR OTHER DATA
NOTICE OF INTENT (Submit in Duplicate)	Į.	BEQUENT REPORT mit Original Form Only)
☐ Abandonment ☐ New Construction ☐ Casing Repair ☐ Pull or Alter Casing ☐ Change of Plans ☐ Recompletion ☐ Conversion to Injection ☐ Shoot or Acidize ☐ Fracture Treat ☐ Vent or Flare ☐ Multiple Completion ☐ Water Shut-Off ☐ Other ☐ Approximate date work will start		ne and Recompletions to different reservoirs on WELL ND LOG form.
DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, vertical depths for all markers and zones perlinent to this work.) WELL WAS SHUT IN DUE TO ECONOMICS. AN WELL TO ACTIVE STATUS.		
	R	CEIMED
		MAR 0 1 1993
		DIVISION OF GAS & MINING
13. Name & Signature: — SRE'S LOW LW	TNO: OPERATIO	ONS SUPT. Date: 2-22-9
	1104	Date:

(This space for State use only)

CPM 9	STATE OF UTAH	INC.	
	DIVISION OF OIL, GAS AND MINI	DAII.	SL-065759
SUNDE	RY NOTICES AND REPORTS	ON WELLS	B. If Indian, Allestine or Tribe Nestvit:
Plantations His from the	proposals to drill new walls, deepen existing walls, or to see HPPLICATION FOR POWAT TO DRILL OR DEEPEN form to	ner plugged and abandoned wells.	7, Unit Agreement Hame:
	S OTHER:		E. Well Name and Number: U.S.A. Pan American #
Name of Operator:	D	ny Co	8. API Well Number: 43-047-15-690
Address and Telephone Number:	Petroleum a Ltd. Liabilit		10. Floid and Pool or Wildook Ashley Valley
Lecation of Well	NL & 210' FEL (NE NE NE)	00202	cook: Uintah
QQ, Sec.,T.,R.M.: 27-55	S-22E		Utah
L CHECK API	PROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REP	ORT, OR OTHER DATA
	OTICE OF INTENT	SUBS	EQUENT REPORT uit Original Form Only)
Abandonment Casing Repair Change of Plans Conversion to injection Fracture Treat Multiple Completion Citier Approximate date work will	☐ New Construction ☐ Pull or Alter Casing ☐ Recomplation ☐ Shoot or Addize ☐ Yent or Flare ☐ Water Shut-Off	The latest of th	5-1-93 no and Recompletions to different reservoirs on WELL WD LOG form.
vertices depths for all markers and	PLITED OPERATIONS (Comby state all perforant details, a ll zones perforent to this work.) 1 Petroleum takes over as		•
	l Petroleum takes over as	operator from dener-	at Actualitie Rosearces,
DenverAmerican Effective 6-1-	93.		RECEIVED
DenverAmericar Effective 6-1-	93.		CUN : C 1993


CTLE SOF SHARE WAS ORDED

Attached is a list of the wells which make up the above leases along with their respective AIP numbers. This method of ownership change was suggested by Lisha Romero, Division of Oil, Gas and Mining, Salt Lake City, Utah

•					
12. Name & Signature	کر.	ohn L. Schmitt	General Manager	_ Cate:	6/8/93
the state of the same of the s					

(This space for State up orth)

(See instructions on Paverse Side)




JUN 1 - 1993

DIVISION OF

(100g)

<u>LEASE</u>			WELL#	<u>API NUMBER</u>		
USA	Pan Aı	merican	1	43-047-15682		
11	11	81	2	43-047-15683		
11	**	11	3	43-047-15684		
11	11	11	4	43-047-15685		
**	11	11	5	43-047-15686		
**	11	11	6	43-047-15687		
**	11	11	7	43-047-15688		
tt	**	11	, 8	43-047-15689		
**	11	n .		43-047-15690		
11	11	**	10	43-047-15691		



JUN 1 4 1993

DIVISION OF CAS & MINING

GENERAL ATLANTIC

RESOURCES, INC.

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

June 14, 1993

BECENVEO

JUN 1 7 1993

State of Utah
Oil & Gas Conservation Commission
Three Triad Center, Suite 350
355 West North Temple
Salt Lake City, Utah 84180-1203

DIVISION OF

RE: Change of Operator Sundry Notices and Reports on Wells

Gentlemen:

By Assignment dated April 30, 1993, effective January 1, 1993, General Atlantic Resources, Inc. ("GARI") purchased the interests of BHP Petroleum (Americas) Inc., Hamilton Brothers Oil Company, Hamilton Brothers Exploration Company and The Norwegian Oil Corporation (DNP-U.S.) collectively ("BHP"), in the properties referenced on the enclosed forms. BHP was the designated operator of said properties, resigning effective May 1, 1993. GARI has been acting as the operator in the interim while balloting was being conducted to determine the successor operator.

GARI has been named successor operator. Enclosed are executed forms for your review and approval reflecting this change. In the event you have questions or concerns relative to this transfer of operatorship, please contact Jim Lee Wolfe, Vice President of Operations or the undersigned at the letterhead address and/or call (303) 573-5100. Thank you for your timely attention in this matter.

Very truly yours,

4 febres to 1854 fear broadhurst Lease # 1874 0265/A GENERAL ATLANTIC RESOURCES, INC.

Lynn D. Becker, CPL

Landman

Enclosures

STATE OF UTAH DIVISION OF OIL, GAS AND MINING

			S. LEASE DESIGNATION	N & SERIAL NO.
			SEE BELOW	
(Do not use this form for p	OTICES AND REPORTS (proposals to drill or to deepen or plug b pplication for permit—" for suc	ack to a different reservoir.	6. IF INDIAN. ALLOTT	EE ON TRISE NAME
L OIL GAS G	:		. UNIT ACKEEMENT	NAME
2 NAME OF OPERATOR	ER		SEE BELOW	. WE
	and) Inc. (DREWIOU	IC ODEDATOD)	e. PARM OR CEASE IV	
BHP Petroleum (Ameri	eas) Inc. (PREVIOU	IS OPERATOR)	9. WELL NO.	
5847 San Felipe, Sui	te 3600, Houston, Texa	s 77057	SEE ATTACHE	·)
4. LOCATION OF WELL (Report location See also space 17 below.)	s clearly and in accordance with any State req	urements.	10. FIELD AND POOL.	
At surface Sections 9,10 At proposed prod. zone	,13,18,19,20,21,23,25,	26,27,28	11. SEC T. R., M., OR SURVEY OR	
14. AFI NO.	IS. ELEVATIONS (Show waether D	F. RT. GR. etc.)	12 COUNTY	13. STATE
			Uintah	Utah
16. Che	ck Appropriate Box To Indicate N	Natura of Matica Pagest or O		
	ск мрргориасе вох то писсасе г итехной то:		QUENT REPORT OF:	
NOTICE OF I	NIENTION TO:	30832		
TEST WATER SHUT-OFF	PULL OR ALTER CASING	WATER SHUT-OFF	REPAIRING	
FRACTURE TREAT SHOOT OR ACIDIZE	MULTIPLE COMPLETE ABANDON	FRACTURE TREATMENT SHOOTING OR ACIDIZING	ALTERING	· · · · · · · · · · · · · · · · · · ·
REPAIR WELL	CHANGE PLANS	(Other) CHANGE OF		X
(Other)		(Note: Report result	s of multiple completion ompletion Report and Lo	
	. —	DATE OF COMPLETION	5/01/93	•
APPROX. DATE WORK WILL ST		DAIL OF COLL BELLOW		
starting any proposed work. If pertinent to this work.)	OMPLETED OPERATIONS (Clearly a well is directionally drilled, give subsur	face locations and measured and t		markers and zones
EFFECTIVE DATE: Ja NEW OPERATOR: Gene ADDRESS: 410 17th	nuary 1, 1993. ral Atlantic Resources Street, Suite 1400, De	, Inc. nver, Colorado 8020		1019 1 7 1993 101911 W 15
LEASE: USA Pea	rl Broadburst I.F	ASE #: UTU02651A		ZUN 1 / 1773
	American	UTSL065759	,	DIVISION OF
*	elt Unit Wasatch	892000886A	·	GAS & MINING
Attached is a list	of the wells which ma	ike up the above lea	ses along with	their
	bers. This method of c			
	of Oil, Gas and Mining,			
18. I hereby costify that the forego	Par	wester All Page	II)	1/02
SIGNED CALL PACE	TITLE KU	punny vy, rep.	DATE TIF	H
(This space for Federal or State	e office use)	V		
APPROVED BY	TITLE		DATE	
CONDITIONS OF APPROVAL				

```
API NUMBER
                       WELL#
      LEASE
                               Sec 9 T75 RDE-43-047-15692
USA Pearl Broadhurst
                                                  43-047-15693
                                 10
                                                  43-047-15694
                                                  43-047-15695
                          5 ---
                                 10
                                                  43-047-30705
                          6 ...
                          7
                                                  43-047-30730
                                  9
                                                  43-047-30696
                          8
                                 10
                          9
                                                  43-047-30787
                                 10
                                                  43-047-30839
                          10
                                 9
                                                  43-047-30840
                          11
                                11
                                                  43-047-30841
                          12
                                 10
                          13
                                                  43-047-30842
                                                  43-047-30904
                          14
                                 9
                                                  43-047-30901
                          15
                                 9
                          16
                                                  43-047-30903
                                10
                                                  43-047-30905
                          17
                                 15
                          18 -
                                                _ 43-047-30939
                                                  43-047-30940
                          19
                                                  43-047-30941
                          20
                                                  43-047-30942
                          21
                                                  43-047-31025
                          22
                                      TSS R 22E 43-047-15682
                              Sec 23
USA Pan American
                                                  43-047-15683
                                 26
                                                  43-047-15684
                          3
                                 26
                                                  43-047-15685
                          4
                                 22
                                                  43-047-15686
                                 26
                                                  43-047-15687
                                 26
                                                  43-047-15688
                                                  43-047-15689
                                22
                                                  43-047-15690
                                                  43-047-15691
                                J
                          5W - Sec20 TIS IE
                                                  43-047-31254
Roosevelt Unit Wasatch
                                                  43-047-31366
                          6
                                    20
                          7
                                                  43-047-31402
                                    19
                                                  43-047-31445
                          9W ....
                                                  43-047-31446
                          10W ___
                                   21
                                                  43-047-31500
                          C11 ____
                                                  43-047-31845
                          Mary 278 /3
```

Form 3160-5

DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

Budget Burton No. 1004-0135 Expires: March 31, 1993

5. Lease Designation and Serial No.

USA SL-065759

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT	7. If Unit or CA. Agreement Designation	
1 Type of Well State Gas Other	nc.	8 Well Name and No. USA Pan American
3 Address and Telephone No. 410 17th Street, Suite 1400, I	(see attached Exhibit A	
Location of Well (Footage, Sec., T., R., M., or Survey E (See attached Exhibit A) Sections 22, 23, 25, 26 and 2 Township 5 South-Range 22 Eas	7, t	11. County or Prinsh, State Uintah County, Utah
12 CHECK APPROPRIATE BOX	(s) TO INDICATE NATURE OF NOTICE, REPOF	IT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION	
Notice of Intent	Abandonment Recompletion	Change of Plans New Construction
Subsequent Report	Plugging Back Casing Repair	Non-Routi te Fracturing Water Shui-Off
Final Abandonment Notice	Altering Casing Other <u>Change of operator</u>	Conversion to Injection Dispose Water

13 Describe Proposed or Completed Operations (Clearly state all pertinent detail, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

On May 1, 1993 General Atlantic Resources, Inc. took over operations of the referenced well from BHP Petroleum (Americas) Inc.

Bond coverage pursuant to 43 CFR 3104 for lease activites is being provided by General Atlantic Resources, Inc. under their nationwide bond, BLM bond number C01023. They will be responsible for compliance under the lease terms and conditions for that portion of the lease associated with this notice.

DEC 0 1 1993

DIVISION OF OIL, GAS & MINING

VERNAL DIST.
ENG. _______
GEOL. _____
E.S. _____
PET.

SEP 1 5 1993

Completion or Recompletion Report and Log form i

PET. _

and correct

Lynn D. Becker

Landman

Title

Sept. 9, 1993

Approved of State of State of June 1869

Approved of State of Stat

ASSISTANT DISTRICT

NOV 2 4 1993

EXHIBIT "A"

Attached to and made a part of that Sundry Notice for Change of Operator on USA Pan American Lease, USA-SL-065759 in Uintah County, Utah:

Lease	Well No.	Location	API Number
USA Pan American	1	SW/4SW/4, 23-T5S-R22E	43-047-15682
USA Pan American	2	NW/4NE/4, 26-T5S-R22E	43-047-15683
USA Pan American	3	NE/4NW/4, 26-T5S-R22E	43-047-15684
USA Pan American	4	SE/4SE/4, 22-T5S-R22E	43-047-15685
USA Pan American	5	NE/4NE/4, 26-T5S-R22E	43-047-15686
USA Pan American	6	NW/4NW/4, 26-T5S-R22E	43-047-15687
USA Pan American	. 7	NW/4NW/4, 25-T5S-R22E	43-047-15688
USA Pan American	8	NW/4SE/4, 22-T5S-R22E	43-047-15689
USA Pan American	9	NE/4NE/4, 27-T5S-R22E	43-047-15690
USA Pan American	10	SW/4SE/4, 22-T5S-R22E	43-047-15691

SEP 1 5 1993

THE INTERIOR MANAGEMENT			
141.41	5. Lease Designation and Serial No.		
	USA SL-065759		
SUNDRY NOTICES AND REPORTS ON WELLS o not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals			
RIPLICATE	7 If Unit or CA, Agreement Designation		
	8 Well Name and No. (see a USA Pan American Exhibi		
ad Liability Company	9 API Well No		
ed Liability company	(see att. Exhibit A)		
er, Colorado 80202 (303) 629-1414	10. Field and Pool, or Exploratory Area		
m) ·	11. County or Parish, State		
ownship 5 South-Range 22 East DINDICATE NATURE OF NOTICE, REPO	Uintah County, Utah		
TYPE OF ACTION			
TIPE OF ACTION			
Abandonment Recompletion	Change of Plans New Construction		
Plugging Back Casing Repair	Non-Routine Fracturing Water Shut-Off		
Altering Casing [XKOther change of operator	Conversion to Injection Dispose Water (Note Report results of multiple cc presson on Well Completion or Recompletion Report and Log form)		
	ed Liability Company er, Colorado 80202 (303) 629-1414 ownship 5 South-Range 22 East DINDICATE NATURE OF NOTICE, REPORT TYPE OF ACTION Abandonment Recompletion Plugging Back Casing Repair		

well from General Atlantic Resources, Inc.

Bond coverage pursuant to 43 CFR 3104 for lease activities is being provided by DenverAmerican Petroleum under their surety bond number 9009241, BLM bond number UT0955. They will be responsible for compliance under the lease terms and conditions for that portion of the lease associated with this notice.

DEC 0 1 1993

DIVISION OF OIL, GAS & MINING

頂つカライカ SEP 1 6 1993 GEOL. PET

14. I hereby terrify that the foregoing is the and correct	Jerome A. Lewis, Manager	Date Sept. 9, 1993
This space for Foders or Saar office part	ASSISTANT DISTRICT	NOV 2 4 1993
Approved by Joune & Leaving Conditions of approval, if any:	MANAGER MINERALS	

Tale 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements cr representations as to any matter within its jurisdiction

	•	
DERATOR CHANGE HORKSHEET	(PAGE 2)	Routing:
Attach all documentation received by the division regardin Initial each listed item when completed. Write N/A if ite	ng this change. nm is not applicable.	2DTS 3VLC 4RJF
X Change of Operator (well sold) □ De □ Designation of Operator □ Op	signation of Agent perator Name Change Only	5PI/ 1/ 6-S.J/
The operator of the well(s) listed below has c	hanged (EFFECTIVE DATE: <u>5-1-93</u>)
TO (new operator) (address) DENVERAMERICAN PETROLEUM 410 17TH ST STE 1600 DENVER, CO 80202 JOHN SCHMIDT phone (303) 534-2331 account no. N8145 (6-21-93) Hell(s) (attach additional page if needed):	*GENERAL ATLANTIC RES. 410 17TH ST STE 1400 DENVER, CO 80202 (303)573-5100 BHP PETROLE 5847 SAN FE HOUSTON, TX phone (713) account no.	77057 7780-5245 N 0390
Name: #10/ " API: 43-047-15691 Name: API: API: API: API: API: API:	Entity: SecTwp_55_Rng_22E l Entity: SecTwpRng l Entity: SecTwpRng l Entity: SecTwpRng l	Lease Type: Lease Type: Lease Type: Lease Type:
OPERATOR CHANGE DOCUMENTATION Let 1. (Rule R615-8-10) Sundry or other legal operator (Attach to this form). Charlet 6-10 Let 2. (Rule R615-8-10) Sundry or other legal (Attach to this form). Charlet 6-17. Let 3. The Department of Commerce has been cooperating any wells in Utah. Is compared to the co	documentation has been received for the decimentation has been received for the new operator above the new operato	rom <u>new</u> operator
yes, show company file number: *001880 4. (For Indian and Federal Hells ONLY) (attach Telephone Documentation Form comments section of this form. Manage changes should take place prior to comments.)	The BLM has been contacted regard to this report). Make note of Dement review of Federal and India	ing this change BLM status in
5. Changes have been entered in the Oil a listed above. (11-30-93)		M) for each well
$\frac{1}{2}$ 6. Cardex file has been updated for each	well listed above. (11-30-93)	
$\frac{\sqrt{2}}{400}$ 7. Well file labels have been updated for	each well listed above. (11-30-93)	
8. Changes have been included on the mon for distribution to State Lands and the	thly "Operator, Address, and Accou	nt Changes" memo
9. A folder has been set up for the Oper placed there for reference during rout	ator Change file, and a copy of th ing and processing of the original	is page has been documents.

PERATOR	CHANGE WORKSHEET (CONTINUED) Initial each item when completed. Write N/A if item is not applicable.
ENTITY	REVIEH
Lec1.	(Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/ho) (If entity assignments were changed, attach copies of Form 6, Entity Action Form).
2.	State Lands and the Tax Commission have been notified through normal procedures of entity changes.
gond Vi	ERIFICATION (Fee wells only)
ula/1.	(Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond.
	A copy of this form has been placed in the new and former operators' bond files.
3.	The former operator has requested a release of liability from their bond (yes/no) Today's date 19 If yes, division response was made by letter dated 19
IE ASE	INTEREST OHNER NOTIFICATION RESPONSIBILITY
N/A 1.	(Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated 19, of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.
	Copies of documents have been sent to State Lands for changes involving State leases.
FILMIN	G
•	All attachments to this form have been microfilmed. Date: <u>December 7</u> 19 <u>93</u> .
FILING	
<u>uc</u> 1.	Copies of all attachments to this form have been filed in each well file.
<u>μ</u> ε 2.	The <u>original</u> of this form and the <u>original</u> attachments have been filed in the Operator Change file.
COMMEN	ITS
93113	

£71/34-35

STATE OF UTAH

DIVISION OF OIL, GAS AND MINING

1594 West North Temple, Suite 1210, PO Box 145801, Salt Lake City, UT 84114-5801

Page_1	of 1
<u> </u>	_ 01

MONTHLY OIL AND GAS PRODUCTION REPORT


OPERATOR NAME AND ADDRESS:			UTA	H ACCOUNT NUMBER	N8145	
BARBARA MAUDE DENVERAMERICAN PETROLEI 1775 SHERMAN ST STE 149 DENVER CO 80202-4313				ORT PERIOD (MONTH/ ENDED REPORT (H		
Well Name	Producing	Well	Days	T	Production Volumes	
API Number Entity Location	Zone	Status	Oper	OIL(BBL)	GAS(MCF)	WATER (PRV)
USA PAN AMERICAN #1		Duitus	- Oper	OIL(BBL)	OAD(IVICE)	WATER(BBL)
4304715682 00220 05S 22E 23	WEBR			SL065759		
USA PAN AMERICAN #2			 	 		
4304715683 00220 05S 22E 26	WEBR			"		
USA PAN AMERICAN #3				 		
4304715684 00220 05S 22E 26	WEBR			'1		
USA PAN AMERICAN #4			† · · · · ·	11		
4304715685 00220 05S 22E 22	WEBR			"		
USA PAN AMERICAN #5			<u> </u>	и		
4304715686 00220 05S 22E 26	WEBR					
USA PAN AMERICAN #6				(/		· · · · · · · · · · · · · · · · · · ·
' 104715687 00220 05S 22E 26	WEBR			''		
A PAN AMERICAN #7				11		
4304715688 00220 055 22E 25	WEBR					
USA PAN AMERICAN #8	[lı		
4304715689 00220 05S 22E 22	WEBR		<u> </u>			
USA PAN AMERICAN 9				u		
4304715690 00220 05S 22E 27 USA PAN AMERICAN 10	WEBR					
4304715691 00220 05S 22E 22	LIEDD			u		
1)64/1/691 00220 093 22E 22	WEBR					
	i					
						
			TOTALS			
			4			
COMMENTS:						
COMMENTS:						
					<u> </u>	
		****		7.1.		
hereby certify that this report is true and complete to the	ne best of my	knowledge.		Date		
lame and Signature:				Tek	ephone Number:	

STATE OF UTAH DIVISION OF OIL, GAS AND MINING NOTICE OF INTENT TO CHANGE OPERATOR

The undersigned Transferor hereby notifies the Board of Oil and Gas Conservation of its intention to transfer ownership and/or operation of the following wells to the undersigned Transferee:

I. Type of Well: XXOilGasOther	
2. Well Name & Number: USA PAN AMERICAN #9	5. API Number: 43-047-15690
3. Location of Well: NE/NE 90' FNL 210' FEL Sec.27, T5S-R22E	6. County& State: Uintah County, Utah
4. Lease type (Private, State, Federal, Indian):	7. Field and Pool, or Wildcat: Weber
Serial # UTSL-065759	
Transferor's Statement: I hereby designate the Transferee named herein as the owner and/or operato Transferor continues to be responsible for said well's) and all associated equ the Utah Board of Oil and Gas Conservation. I certify that the information of Signed: Print Name: CHIP YOULDEN	ipment and facilities until such time as this transfer is approved by
Title: Vice President - Finance	City,State,Zip: Billings, MT 59103
Date: 11/26/97	Telephone: (406) 248-2222
Transferee's Statement: I hereby accept the designation of operator/owner for the above described w Transferee has complied with the Board's bonding requirements. I acknowl plugging and restoration of the surface of the well(s) described above. I cer Signed: Print Name: RICHARD WALLING Title: Vice President - Operations Date: 11/26/97	edge that the Transferee herein is responsible for the costs of proper
Board Use 6	Jniy
Approved: Date Na	me Title





November 26, 1997

State of Utah Division of Oil, Gas, & Mining 1594 West North Temple 3 Triad Center, Suite 1210 Salt Lake City, Utah 84114-5801

Re:

Sundry Notice of Change of Operator Attached Wells in the Ashley Valley Field Uintah County, Utah

Gentlemen:

Included with this letter is a Sundry Notice of Change of Operator for the attached wells. Denver American Petroleum, Inc., the current operator, has resigned as operator effective 10/1/97. Colt Resources Corporation has been chosen as the successor operator effective 10/1/97. Bonding for these well is provided under Colt Bond #9009241 provided by Far West Insurance Company.

Should you have any questions concerning this change of operator, please contact me at the Billings, MT office of JN Exploration & Production LP. My direct phone line is 406-247-8759. For your information, Colt Resources Corporation is a wholly owned subsidiary of JN Exploration & Production. All operational issues for the attached wells should be addressed to me at the above letterhead address which is the address for both JN Exploration & Production LP and Colt Resources Corporation.

Thank you.

Sincerely,

Operations Engineer



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Vernal Field Office 170 South 500 East Vernal, Utah 84078-2799

Phone: (435) 781-4400 Fax: (435) 781-4410

IN REPLY REFER TO: 3162.3 UT08300

February 23, 1998

Colt Resources Corporation Attn: Duane Zimmerman P O Box 7167 Billings MT 59103

> Re: Well No. USA Pan American 9 NENE, Sec. 27, T5S, R22E Lease SL-065759

API #43-047-15690 Uintah County, Utah

Dear Mr. Zimmerman:

This correspondence is in regard to the Sundry Notice submitted requesting a change in operator for the referenced well. After a review by this office, the change in operator request is approved. Effective immediately, Colt Resources Corporation is responsible for all operations performed on the referenced well. All liability will now fall under your bond, BLM Bond No. UT0955, for all operations conducted on the referenced well on the leased land.

If you have any other questions concerning this matter, please contact Margie Herrmann or Pat Sutton of this office at (435) 781-4400.

Sincerely,

Howard B. Cleaving Assistant Field Manager Minerals Resources

cc:

Division Oil, Gas & Mining Denver American Petroleum, LLC Princeps Partners
The William G Helis

Division of Oil, Gas and Mining

as/wpdocs/forms/opercting

OPERATOR CHANGE WORKSHEET

Attach all documentation received by the division regarding this change. Initial each listed item when completed. Write N/A if item is not applicable.

Routing	
1-11-1	diffe
2- 01-11	7-KASI
3-DTS	8-SI 1
4-VI.D	9-FILE
S-IRB	

		•	LS-JKB_F
		hange of Operator (well sold) Designation of Agent Operator Name Change Only	
The	е ор	perator of the well(s) listed below has changed, effective:	
то	: (ņ	(address) COLT RESOURCES CORPORATION FROM: (old operator) PO BOX 7167 (address) BILLINGS MT 59103 DUANE ZIMMERMAN Phone: (406) 248-2222 Account no. N6770 (12-16-97)	DENVERAMERICAN PETROLEUM 1775 SHERMAN ST STE 1450 DENVER CO 80202-4313 C/O COLT RESOURCES Phone: (406) 247-8749 Account no. N8145
WE	LL	(S) attach additional page if needed:	
Nam Nam Nam Iam Iam Nam	e: _ e: _ e: _ e: _	**SEE ATTACHED** API: 43-147-1569/Entity: S	T R Lease: T R Lease:
OPI	ERA	ATOR CHANGE DOCUMENTATION	
In Sec	1. 2.	(r649-8-10) Sundry or other legal documentation has been received from the form). $(\int_{ec} d/2 - l - 97)$ (r649-8-10) Sundry or other legal documentation has been received from form). $(\int_{ec} d/2 - l - 97)$	
Lic	3.	The Department of Commerce has been contacted if the new operator wells in Utah. Is the company registered with the state? (yes/no)	above is not currently operating any If yes, show company file number:
Lec	4.	FOR INDIAN AND FEDERAL WELLS ONLY. The BLM has been connote of BLM status in comments section of this form. BLM approval ochanges should ordinarily take place prior to the division's approval, at through 9 below.	t Kederal and Indian Well Operator
Lec	5.	Changes have been entered in the Oil and Gas Information System (327	70) for each well listed above.
<u>re</u> lec	6.	(3-11-98) Cardex file has been updated for each well listed above. (3-11-98)	
Jec.	7.	Well file labels have been updated for each well listed above. (3-11-98)	
Loc	8.	Changes have been included on the monthly "Operator, Address, and According to Trust Lands, Sovereign Lands, UGS, Tax Commission, etc. (2/1/98)	unt Changes" memo for distribution

9. A folder has been set up for the Operator Change file, and a copy of this page has been placed there for reference during routing and processing of the original documents.

STATE OF UTAH DIVISION OF OIL, GAS AND MINING

			5. Lease Designation and Serial Number:
			SL-065759 6. If Indian, Allottee or Tribe Name:
SUNDRY	NOTICES AND REPORTS	ON WELLS	
Do not use this form for propo- Use APPU	7. Unit Agreement Name:		
1. Type of Well: OIL YX GAS	OTHER:		6. Well Name and Number:
			USA PAN AMERICAN #9
2. Name of Operator: COLT RESOURCES CO	RPORATION		API Well Number: 43-047-15690
3. Address and Telephone Number: PO BOX 7167, Billing	s, MT 59103 (406) 248	-2222	10. Field and Pool, or Wildcat: Ashley Valley - Weber
4. Location of Well Footages: 90 * FNL-210	' FEL	•	County: Uintah
•	c.27, T5S-R22E		State: Utah
11. CHECK APPRO	PRIATE BOXES TO INDICATE N	ATURE OF NOTICE, REPO	ORT. OR OTHER DATA
	E OF INTENT		QUENT REPORT
	nit in Duplicate)	•	Original Form Only)
XX Abandon	☐ New Construction	☐ Abandon *	☐ New Construction
☐ Repair Casing	Pull or Alter Casing	☐ Repair Casing	☐ Pull or Alter Casing
Change of Plans	☐ Recomplete	☐ Change of Plans	☐ Reperforate
☐ Convert to Injection	Reperforate	☐ Convert to Injection	☐ Vent or Flare
☐ Fracture Treat or Acidize	☐ Vent or Flare	☐ Fracture Treat or Acidize	☐ Water Shut-Off
☐ Multiple Completion	☐ Water Shut-Off	Other	
Other			
	C /15 /00	Date of work completion	
Approximate date work will start	6/15/99	Report results of Multiple Completions and Recompletions to different reservoirs on WELL	
		COMPLETION OR RECOMPLETION REP Must be accompanied by a cement verification.	
12. DESCRIBE PROPOSED OR COMPLETED	OPERATIONS (Clearly state all pertinent details, and gi	!	
 DEBCHBE PROCRED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) 9-5/8" Surface Casing SA 509'; 7" Production Casing SA 4268'; TD 4290'; PBTD 4268'; Perforations 4223-63' (gross); Cement top at 2900' by temperature log. P&A well as follows: Set cement retainer at +/- 4100'. Squeeze cement Weber with 150 sx Class "G" cement. Perforate 4 holes in 7" casing at +/- 509'. Set cement retainer at +/- 400'. Pump 150 sx cement through retainer out squeeze holes. Circulate cement to surface up 7" x 9-5/8" annulus then close in annulus and squeeze remaining cement below cement retainer to 500 psi surface pressure. Spot 15 sx cement from 50' to surface in 7" casing. Install dryhole marker and reclaim location. 			
13. Name & Signature: William	M. Belden	Title: PETROLEUM E	NGINEER Date: 3/18/99
(This space for State use only)			

DECEIVE MAR 1 9 1999 DIV. OF OIL, GAS & MINING



Utah Department of Natural Resource Division of Oil, Gas & Mining P.O. Box 145801 Salt Lake City, UT 84114-5801

MAR 1 9 1999

DIV. OF OIL, GAS & MINING

Re: Shut-in and Temporarily Abandoned Wells Compliance Review

Gentlemen:

This letter is written in response to your letter dated 2/17/99 regarding Colt operated shut-in or temporarily abandoned wells as listed below.

WELL NAME	WELL LOCATION	API NUMBER
USA PanAmerican #2	NW/NE Sec. 26, T5S-R22E	43-047-15683
USA PanAmerican #3	NE/NW Sec. 26, T5S-R22E	43-047-15684
USA PanAmerican #6	NW/NW Sec. 26, T5S-R22E	43-047-15687
USA PanAmerican #7	NE/NW Sec. 25, T5S-R22E	43-047-15688
USA PanAmerican #8	NW/SE Sec. 22, T5S-R22E	43-047-15689
USA PanAmerican #9	NE/NE Sec. 27, T5S-R22E	43-047-15690
USA PanAmerican #10	SW/SE Sec. 22, T5S-R22E	43-047-15691

Included with this letter are the required copies of our Notices of Intent to P&A six of the above referenced wells and one Notice of Intent to Test Casing and Maintain in Shut-in Status for the USA PanAmerican #3 well. Colt Resources is evaluating the use of subsurface injection into the USA PanAmerican #3 well Weber formation to dispose of a combination of produced water, tank bottoms and pit oil from the Weber formation on our USA PanAmerican lease. Until this concept for production waste disposal can be evaluated, Colt proposes to test the mechanical integrity of the casing in the USA PanAmerican #3 well and maintain it in shut-in status. As noted on the Sundry Notices, this work is anticipated to begin on or about June 15, 1999 pending approval of Sundry Notices of P&A by the U.S. BLM and approval of P&A Authorization for Expenditures by working interest owners.

Should you have any questions concerning these Notices of Intent, please contact me at the Colt Resources Corporation Billings, MT office (Phone 406-247-8744).

Thank you.

Sincerely,

William M. Belden Petroleum Engineer

William M Belden



Utah Department of Natural Resource Division of Oil, Gas & Mining P.O. Box 145801

Salt Lake City, UT 84114-5801

MAR 1 9 1999

DIV. OF OIL, GAS & MINING

Re: Shut-in and Temporarily Abandoned Wells Compliance Review

Gentlemen:

This letter is written in response to your letter dated 2/17/99 regarding Colt operated shut-in or temporarily abandoned wells as listed below.

WELL NAME	WELL LOCATION	<u>API NUMBER</u>
USA PanAmerican #2	NW/NE Sec. 26, T5S-R22E	43-047-15683
USA PanAmerican #3	NE/NW Sec. 26, T5S-R22E	43-047-15684
USA PanAmerican #6	NW/NW Sec. 26, T5S-R22E	43-047-15687
USA PanAmerican #7	NE/NW Sec. 25, T5S-R22E	43-047-15688
USA PanAmerican #8	NW/SE Sec. 22, T5S-R22E	43-047-15689
USA PanAmerican #9	NE/NE Sec. 27, T5S-R22E	43-047-15690
USA PanAmerican #10	SW/SE Sec. 22, T5S-R22E	43-047-15691

Included with this letter are the required copies of our Notices of Intent to P&A six of the above referenced wells and one Notice of Intent to Test Casing and Maintain in Shut-in Status for the USA PanAmerican #3 well. Colt Resources is evaluating the use of subsurface injection into the USA PanAmerican #3 well Weber formation to dispose of a combination of produced water, tank bottoms and pit oil from the Weber formation on our USA PanAmerican lease. Until this concept for production waste disposal can be evaluated, Colt proposes to test the mechanical integrity of the casing in the USA PanAmerican #3 well and maintain it in shut-in status. As noted on the Sundry Notices, this work is anticipated to begin on or about June 15, 1999 pending approval of Sundry Notices of P&A by the U.S. BLM and approval of P&A Authorization for Expenditures by working interest owners.

Should you have any questions concerning these Notices of Intent, please contact me at the Colt Resources Corporation Billings, MT office (Phone 406-247-8744).

Thank you.

Sincerely,

William M. Belden Petroleum Engineer

William M. Beldon

orm 3160-5

UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

SUNDRY NOTICES AND REPORTS ON WELLS

FORM APPROVED
OMA No. 1004-0135
 uly 31, 1996

Lease Serial No.

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.			6. If Indian, Allottee or Take Name
	IPLICATE - Other Instructions on reve		7. If Unit or CA/Agreement, Name and/or No.
Type of Well Oil Well Gas Well Name of Operator COLT RE	Other JA	N 1 2 2000	8. Well Name and No. USA PAN AMERICAN #9 9. API Well No.
	Billings, MT 59103 3b. Phone No. (In (406) 247	· · · · · · · · · · · · · · · · · · ·	43-047-15690 10. Field and Pool, or Exploratory Area Ashley Valley - Weber 11. County or Parish, State
(NE/NE) Sec. 27,	T5S-R22E		Uintah County, Utah
	PROPRIATE BOX(ES) TO INDICATE NA		BPORT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	•
Notice of Intent Subsequent Report Final Abandonment Notice	Acidize Deepen Alter Casing Practure Treat Casing Repair New Construction Change Plans Plug and Aband		Well Integrity Other
	Convert to Injection Plug Back	Water Disposal	

Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

9-5/8" Surface Casing SA 509'; 7" production casing SA 4268'; TD 4290'; PBTD 4268'; Perforations 4223-63' (gross); Cement top at 2900' by temperature log.

P&A well as follows:

- Set cement retainer at +/- 4100'. Squeeze cement Weber with 150 sx Class "G" cement.
- Perforate 4 holes in 7" casing at +/-509'. Set cement retainer at +/-400'.
- Pump 150 sx cement through retainer out squeeze holes. Circulate cement to surface up 7" x 9-5/8" annulus then close in annulus and squeeze remaining cement below cement retainer to 500 psi surface pressure.
- Spot 15 sx cement from 50' to surface in 7" casing.
- Install dryhole marker and reclaim location.

RECEIVED

CONDITIONS OF APPROVAL ATTACHED

APR 2 1 2000

			O MENI INC	'1 LLD	ATT 2 1 2000
 1 hereby certify that the foregoing is true and Name (Printed/Typed) William M. Belden 	COPY SENT TO OPERATOR	Title	Petroleum Engine		DIVISION OF GAS AND MINING
Signature William M. Be	trinoisCHIO	Date	1/10/2000	- some the	
	THIS SPACE FOR FEDER	AL OR	STATE OFFICE USACC		<u> </u>
pproved by Wayne C Borlet			Tretroleum Entifie	er bis MMIR	i 29 0
onditions of approval, if any, are attached. As rully that the applicant holds legal or equitable high would entitle the applicant to conduct oper	pproval of this notice does not was le title to those rights in the subje- ations thereon.	rrant or ct lease	Office FOR	RECORD O	NLY

tile 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or audulent statements or representations as to any matter within its jurisdiction.

Well: USA Pan Am 9 Lease: UTSL-065759 Uintah County, Utah

DOWNHOLE REQUIREMENTS CONDITIONS OF APPROVAL

We have reviewed your proposal for technical adequacy and concur with the downhole portion providing the following stipulations are included in the procedure.

- 1. Prior to perforating any casing string, adequate BOPs, lubricators, and controls will be installed and function tested.
- 2. If paraffin or scale deposits are detected while pulling the tubing or any other production equipment out of the wellbore, hot water treatments and/or scraper runs will be conducted before placing any cement plugs.
- 3. All cement used for plugs shall meet the minimum physical requirements specified in API Specification 10 unless prior approval is obtained from the authorized officer.
- 4. A minimum of 20 sx class G cement will need to be spotted on top of all CICR's after squeezing below.
- 5. To isolate the Curtis-Entrada formations contact, set a minimum of 200' balanced cement plug from 2300' 2500'. This plug will need to include the casing and the annulus.
- 6. The plug at the surface will need to include the 7" as well as the 7" x 9 5/8" annulus.
- 7. It will be left to the discretion of the BLM representative on location while plugging as to whether or not any of the plugs will need to be tagged.
- 8. Notify this office at least 24 hours prior to commencing plugging operations.

RECEIVED

APR 2 1 2000

DIVISION OF OIL, GAS AND MINING

CONDITIONS OF APPROVAL FOR WELL ABANDONMENT

Company:	Coastal Oil & Gas Corp.	Location:	NENE Sec. 27 T05S, R22E
Well No.:	USA Pan Am 9	Lease No.	UTSL- 065759

A COPY OF THESE CONDITIONS SHOULD BE GIVEN TO YOUR FIELD REPRESENTATIVE TO ENSURE COMPLIANCE

- 1. This office will be notified sufficiently in advance of actual plugging work so that a representative may have an opportunity to witness the operation. Notify this office at least 24 hours in advance of rigging up.
- 2. Upon completion of the approved plugging program, a dry hole marker shall be installed in accordance with 43 CFR 3162.6(b) and clean up the site. The marker shall be a flat plate not less than 1/4 inch in thickness and large enough to contain all of the information identified below and shall be buried a minimum of three (3) feet below recontoured surface level. A weep hole shall be left if a plate is welded into place. Pits must be fenced unless approved otherwise by the authorized officer.
- 3. The following minimum information will be permanently and legibly placed on the marker with a plate, cap or welded bead:
 - A. Name of the operator.
 - B. Lease serial number.
 - C. Well number.
 - D. Surveyed description of the well; section, township and range and either footages or quarter-quarter section.
- 4. Within 30 days after well bore plugging operations have been completed, Form 3160-5 (formerly Form 9-331), Subsequent Report of Abandonment, will be submitted to this office. The report must show the location of all plugs or any mechanical setting device, quantity and type of cement and additives in each plug, amount of casing or any tubulars left in the hole, methods used to test plugs and test results, and the status of the surface restoration. If a temporary delay in the removal of equipment or surface cleanup is deemed necessary, so justify in your report. This abandonment report will be approved by this office by this office with surface stipulations. Liability for the well shall not be released until the surface management agency approves the actual site rehabilitation.

RECEIVED

APR 2 1 2000

DIVISION OF OIL, GAS AND MINING

- 5. If not previously filed, submit in duplicate, Form 3160-4 (formerly Form 9-330), Well completion or Recompletion Report and Log, well history, electric logs, any other surveys, and, if taken, core analysis. This completion report must be filed within 30 days after the culmination of downhole plugging operations.
- 6. The Bureau of Land Management District Office address is:

Bureau of Land Management 170 South 500 East Vernal, Utah 84078

(801) 781-4400

7. For downhole concerns or approvals contact:

Ed Forsman Petroleum Engineer Work: (435) 781-4490 Home: (435) 789-7077

8. For surface concerns contact:

Byron Tolman Natural Resource Protection Specialist

Work: (435) 781-4482 Home: (435) 789-6144

Greg Darlington Natural Resource Protection Specialist

Work: (435) 781-4476 Home: (435) 789-6441 Stan Olmstead Natural Resource Protection Specialist

Work: (435) 781-4468 Home: (435) 789-4938 Form 3159-5 (November 1994)

UNITED STATES DEPARTMENT OF THE INTERIOR **BURBAU OF LAND MANAGEMENT**

FORM APPROVED OMB No. 1004-0135 Expires July 31, 1996

SUNDRY	NOTICES	AND	REPORTS	ON WELL	LS
~~!!	11011050	$\boldsymbol{\sigma}$			_

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

Lease Serial No. UTSL - 065759

6. If Indian, Allottee or Tribe Name

N/A

SUBMIT IN TRIPLICATE - Other Insti	7. If Unit or CA/Agreement, Name and/or No.	
Type of Well Gas Well Cher	The second secon	N/A 8. Well Name and No.
. Name of Operator COLT RESOURCES CORPORATION		USA Pan American #9 9. API Well No.
PO BOX 7167; Billings, MT 59103	3b. Phone No. (include area code) (406) 248-2222	43-047-15690 10. Field and Pool, or Exploratory Area
Location of Well (Footage, Sec., T., R., M., or Survey Description	on)	Ashley Valley (Weber)
90' FNL - 210' FEL (NE/NE) Sec. 27, T5S-R22E		11. County or Parish, State
·		Uintah County, Utah

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	÷ •	. TY	PE OF ACTION	•
Notice of Intent Subsequent Report Final Abandonment Notice	Acidize Alter Casing Casing Repair Change Plans Convert to Injection	Deepen Practure Treat New Construction XX Plug and Abandon Plug Back	Production (Start/Resume) Reclamation Recomplete Temporarily Abandon Water Disposal	Water Shut-Off Well Integrity Other

- 13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attack the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)
 - Set cement retainer at 4092'.
 - Pump 150 sx Class "G" cement through retainer. Unsting from retainer and spot 20 sx Class"G" cement on top of retainer. Cement top at 3988'.
 - Perforate 2 ispf at 2498-2499'. Set cement retainer at 2398'. 3.
 - Pump 45 Class "G" cement through retainer. Unsting and spot 19 sx Class "G" cement on top of retainer. ©cement top at 2298!. Perforate 2 jspf at 509-10'.
 - 5.
 - Pump 200 sx Class "G" cement down 7" casing and back out 7" x 9-5/8" annulus. Fill 7" casing and 7" x 9-5/8" annulus from 510 to surface with cement.
 - Cut off wellhead 3.5' below ground devel and install marker.
 - Will remove equipment and reclaim surface in Summer, 2000.

14. Thereby certify that the foregoing is true and correct Name (Printed/Typed) WILLIAM M. BELDEN	Title PETROLEUM EN	GINEER	
Signature William M. Belden	Date 6/1/2000		,
THIS SPACE FOR	R FEDERAL OR STATE OFFICE US	E	
Approved by	Title	Date	
Conditions of approval, if any, are attached. Approval of this notice decertify that the applicant holds legal or equitable title to those rights in which would entitle the applicant to conduct operations thereon.	oes not warrant or office n the subject lease	·	

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or translations as to any matter within its jurisdiction.

JN EXPLORATION & PRODUCTION LP **COLT RESOURCES CORP.** DAILY WORKOVER REPORT

WELL:

USA Pan American #9

LOCATION:

NE/NE Sec.27.T5S-R22E

CO.& STATE:

Uintah County, Utah

Ashley Valley PROSPECT:

AFE NO:

086

API No.: 43-047-15690

Spud Date:

Prod. Supt.: Kreg Hill

DATE

REPORT

Purpose:

P&A well as per State of Utah requirements.

05/17/00

MIRU K&S Well Service rig and equipment. SI pressure 260 psi. Open well to rig tank and flow 190 bbls oil to tank before turning to water. Pump 60 bbls 10# salt water down 7" casing to kill well. Install BOP. Pick up bit and 7" casing scraper. TIH to 4125'. POH. Make up 7" circ. TIH and set at 4092'. Sting out and SDFN.

DC: \$4,540

CC: \$4,540

05/18/00

RU Halliburton. Break CICR and sting into CICR at 4092'. Establish injection rate of 3.8 bpm at 700 psi. Sting out and spot 20 sx on top cement top at 3988'. POH. RU OWP. RIH and perf 2 jspf from 2498-2499'. RIH with CICR and set at 2398'. Establish injection rate of 3.7 bpm 770 psi. Pump 64 sx total cement. Pump 26 sx thru perfs leaving 19 sx below CICR and 19 sx above cement top in 7" casing at 2298'. POH. RIH and perf 2 jspf from 509-510'. Break CICR out surface pipe. Pump 200 sx filling both annulus and 7" casing. SD with both sides standing full. RD Halliburton and K&S Well Service. Dig out around wellhead and cut off 3.5' below ground level. Install marker and backfill. P&A Complete.

Note: Ray Arnold with Bureau of Land Management on location during P&A operations.



May 30, 2000

Mr. John Baza State of Utah Division of Oil, Gas & Mining P.O. Box 145801 Salt Lake City, Utah 84114

Re: Subsequent Reports of P&A
USA PanAmerican #2,6,7,8,9 &10 Wells
Sec.'s 25, 26 & 27, T5S-R22E
Uintah Co., Utah
Ashley Valley Field

Dear Mr. Baza:

Included with this letter are copies of the U.S. BLM Forms 3160-5 Subsequent Report of Plug and Abandonment for the six above referenced wells. Downhole P&A work was completed on these wells during May 11 - 22, 2000. Surface equipment removal and any necessary surface reclamation will be completed during the Summer, 2000.

I have also included copies of the daily reports further detailing the downhole P&A work summarized in each of the Subsequent Reports.

Should you have any questions concerning this work, please contact me at the Colt Resources Corporation Billings, MT office (Phone 406-247-8744).

Thank you.

Sincerely,

William M. Belden William M. Belden Petroleum Engineer

RECEIVED

JUN 0 5 2000

DIVISION OF OIL, GAS AND MINING